

Certificate of Product Approval

Warrior Doors Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1045d	04	Unit 4 Kings Road Industrial Estate Tyseley Birmingham B11 2AX

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
Warrior B-SL Warrior B-SLi Warrior CB-SLi Hinged Security Doorsets	LPS 2081: Issue 1 Requirements and testing procedures for the LPCB approval and listing of building components, strongpoints, security enclosures and free-standing barriers offering resistance to intruders attempting to use stealth to gain entry

This certificate is maintained and held in force through regular surveillance activities.

 Signed for BRE Global Ltd	Chris Hunt Verifier	23 September 2026 Date of this Issue
27 April 2017 Date of First Issue		



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1045d

ISSUE

04

Warrior Doors Limited

Hinged Security Doorsets

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
Warrior B-SL	Single leaf outward opening hinged glazed doorset	1.8	2.5	0.6	1.55	B	1045d/01
Warrior B-SLi	Single leaf inward opening hinged glazed doorset	1.8	2.5	0.6	1.55	B	1045d/02
Warrior CB-SLi	Single leaf inward or outward opening hinged glazed doorset incorporating side screens and/or overpanels ^{1,2}	1.9	3.5	0.85	6.45	B	1045d/03

Approved Locking Configurations

Product Name	Type	Compatible Locking Systems
Warrior B-SL	Single leaf outward opening hinged glazed doorset	1 to 10
Warrior B-SLi	Single leaf inward opening hinged glazed doorset	1 to 10
Warrior CB-SLi	Single leaf inward or outward opening hinged glazed doorset incorporating side screens and/or an overpanel	1 to 10

This certificate is maintained and held in force through regular surveillance activities.



Signed for BRE Global Ltd

Chris Hunt
Verifier23 September 2026
Date of this Issue27 April 2017
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1045d

ISSUE

04

Warrior Doors Limited

Compatible Locking Systems³

Compatible Locking System	Manufacturer	Model	Type	Quantity	External Face	Internal Face	Compatible Cylinders
1	GEM	EM10000 (Unmonitored) or EM10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	Alpro	EMS1200	Electromechanical mortice shear lock	Two			
2	GEM	EM10000 (Unmonitored) or EM10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	Alpro	EMS1200	Electromechanical mortice shear lock	One			
3	Alpro	EMS1200	Electromechanical mortice shear lock	One	Access control system	Push button release or access control system	N/A
4	Trimec	ES8000	Single-point electrically operated lock	One	Access control system	Push button release or access control system	N/A
5	GEM	EM10000 (Unmonitored) or EM 10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	Adams Rite	Armlock 1354	Electromechanical mortice shear lock	Two			

This certificate is maintained and held in force through regular surveillance activities.



Chris Hunt
Verifier

23 September 2026
Date of this Issue

27 April 2017
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1045d

ISSUE

04

Warrior Doors Limited

Compatible Locking System	Manufacturer	Model	Type	Quantity	External Face	Internal Face	Compatible Cylinders
6	GEM	EM10000 (Unmonitored) or EM 10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	Adams Rite	Armlock 1354	Electromechanical mortice shear lock	One			
7	Adams Rite	Armlock 1354	Electromechanical mortice shear lock	One	Access control system	Push button release or access control system	N/A
8	GEM	EM10000 (Unmonitored) or EM 10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	BQT	YD30S Cobalt single	Electromechanical mortice shear lock	One			
9	GEM	EM10000 (Unmonitored) or EM 10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	BQT	YD30S Cobalt single	Electromechanical mortice shear lock	Two			
10	BQT	YD30S Cobalt single	Electromechanical mortice shear lock	One	Access control system	Push button release or access control system	N/A

This certificate is maintained and held in force through regular surveillance activities.



Signed for BRE Global Ltd

Chris Hunt
Verifier23 September 2026
Date of this Issue27 April 2017
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1045d

ISSUE

04

Warrior Doors Limited

Optional Design Features/Accessories⁴

Accessory	Description
Steel infill panels	Steel infill panels can replace one or more glazed infills
Timber inserts	Optional timber inserts within door leaf and frame steel sections.

Notes:

1. The sizes of door leaf approved in this configuration fall within the size range for the single leaf doorsets, i.e. those without side or over panels.
2. Side screens can be located either side or on both sides of the door leaf.
3. The resistance of the access control locks to “non-mechanical” attack is not covered by this approval as they are outside the scope of LPS 2081. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment that may be used to operate these locking systems. This is because the scope of access control devices and system configurations that may be used with these locking systems is “infinite”. It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to mechanical and other forms of tampering/abuse, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage. Furthermore, specifiers should ensure the access control system incorporates provision for uninterrupted power to be provided to the electromagnetic locks in the event of a mains power failure, if the doorset is required to continue to provide the certified resistance to forced entry during such an event, and that appropriate means of escape is assured in an emergency.
4. Certification does not cover the use of any options that are not listed. Utilisation of any other options may affect the level of security offered by the doorset.

This certificate is maintained and held in force through regular surveillance activities.



Signed for BRE Global Ltd

Chris Hunt

Verifier

23 September 2026

Date of this Issue

27 April 2017

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

