

Certificate of Product Approval

Certificate Number: 913t

Issue: 03

H S Jackson & Son (Fencing) Limited t/a Jacksons Fencing

Stowting Common
Ashford
Kent
TN25 6BN



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Securi-Mesh
security fencing system

Standard

LPS 1175: Issue 8
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Paul Dillon
Verifier

25 October 2024
Date of Issue

17 June 2019
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 913t

Issue: 03

H S Jackson & Son (Fencing) Limited t/a Jacksons Fencing

Security Fencing System

Product Name	Type	Nominal Height (m)	Maximum Post Centres (m)	Gradients	Angles in Fence Line	Security Rating	LPCB Ref. No.
Securi-Mesh	Welded mesh security fencing system	1.8 to 6.0	2.44	0° to 45°	90° to 270°	A1 (SR1)	913t/01

Approved Assembly and Installation Drawings

Document Ref.	Revision / Issue Date	Title / Contents
HS1_1033 Sheet 1	1 15/08/23	Securi-Mesh A1 (SR1) fence standard details
HS1_1033 Sheet 2	1 15/08/23	Securi-Mesh A1 (SR1) fence baseplate details
HS1_1033 Sheet 3	1 15/08/23	Securi-Mesh A1 (SR1) fence dug in mesh
HS1_1033 Sheet 4	1 15/08/23	Securi-Mesh A1 (SR1) fence typical mesh clamping details
HS1_1033 Sheet 5	1 15/08/23	Securi-Mesh A1 (SR1) fence sloping ground levels

Notes:

1. The 'angles in fence line' define the range of angles covered by the scope. These are measured between the attack faces of two adjacent fence panels.
2. The fencing system is available in configurations to suit either surface mounting onto hard surfaces, embedding within concrete foundations placed in the ground or surface mounted onto a foundation buried in the ground. It is important to ensure that the local ground onto/into which the fence is installed offers compatible strength.
3. The fencing systems should only be constructed and installed in accordance with the documents listed in the appropriate table titled Approved Assembly and Installation Drawings, only using appropriate components supplied by Jacksons Fencing.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

25 October 2024
Date of Issue

17 June 2019
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

