

Certificate of Product Approval

Charter Global Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1075d	02	1 Darwin Close Reading Berkshire RG2 0TB

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
Obexion IDB-03 Security Shutters	LPS 1175: Issue 8 Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

 Signed for BRE Global Ltd	Chris Hunt Verifier	07 August 2026 Date of this Issue
23 August 2023 Date of First Issue		



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1075d

ISSUE
02

Charter Global Limited

Security Shutters

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Locking Devices	Security Rating	LPCB Ref No.
Obexion IDB-03	Internally face fixed security shutter incorporating solid lath	1.0	8.0	1.0	8.0	Two pin locks, two manual slide bolts or two 24V solenoid bolts	B3 (SR2)	1075d/01
	Internally face fixed security shutter incorporating insulated lath	1.0	8.0	1.0	8.0			
	Internally face fixed security shutter incorporating perforated lath	1.0	8.0	2.4	8.0			

Approved Installation Configurations

Product Name	Type	Substrate			
		Brickwork	Blockwork	Concrete	Steelwork
Obexion IDB-03	Internally face fixed security shutter	✓	✓	✓	✓

Notes:

- The security rating only applies to the shutters when installed and operated in accordance with the documents titled 'Obexion ID Installation Instructions Revision 2' and 'Obexion Specialist Security Systems: Operation and Maintenance Manual. Original Instructions Revision 1'. The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.
- The locking devices are fitted to the internal face of the product. Certification does not cover the use of locking devices other than those listed above. Utilisation of unlisted locking devices may affect the level of security offered by the shutter.

This certificate is maintained and held in force through regular surveillance activities.


Signed for BRE Global Ltd

Chris Hunt
Verifier

07 August 2026
Date of this Issue

23 August 2023
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

