

# Certificate of Product Approval


Securiclad

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1731a	03	10 Alder Road, West Chirton North Industrial Estate North Shields, Tyne & Wear NE29 8SD

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
Securiclad Modular Security Enclosure System	LPS 1175: Issue 8 Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

 Signed for BRE Global Ltd	Chris Hunt Verifier	20 June 2025 Date of this Issue
<hr/>		
17 June 2024 Date of First Issue		



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com](http://www.redbooklive.com)). To check the validity of this certificate please scan the QR tag, visit [www.redbooklive.com](http://www.redbooklive.com) or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,  
Watford, WD25 9XX  
T: +44 (0)333 321 8811  
E: [enquiries@bregroup.com](mailto:enquiries@bregroup.com)



# Appendix to Certificate No: 1731a


ISSUE  
03

## Securiclad

### Modular Security Enclosure System

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
Securiclad	Enclosure with horizontally laid panels	2.0	Unlimited	1.5	Unlimited	1.5	Unlimited	B3 (SR2)	1731a/01
	Enclosure with vertically laid panels	1.6	5.5	0.25	Unlimited	0.25	Unlimited	B3 (SR2)	
	Enclosure with horizontally laid panels	2.0	Unlimited	1.5	Unlimited	1.5	Unlimited	C5 (SR3)	1731a/02
	Enclosure with vertically laid panels	1.6	5.5	0.25	Unlimited	0.25	Unlimited	C5 (SR3)	
	Enclosure with horizontally laid panels	2.0	Unlimited	1.5	Unlimited	1.5	Unlimited	D10 (SR4)	1731a/03
	Enclosure with vertically laid panels	1.6	5.5	0.25	Unlimited	0.25	Unlimited	D10 (SR4)	
	Enclosure with horizontally laid panels	2.0	Unlimited	1.5	Unlimited	1.5	Unlimited	E10 (SR5)	1731a/04
	Enclosure with vertically laid panels	1.6	4.0	0.25	Unlimited	0.25	Unlimited	E10 (SR5)	

This certificate is maintained and held in force through regular surveillance activities.

  
Signed for BRE Global Ltd

Chris Hunt  
Verifier

20 June 2025  
Date of this Issue

17 June 2024  
Date of First Issue



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com](http://www.redbooklive.com)). To check the validity of this certificate please scan the QR tag, visit [www.redbooklive.com](http://www.redbooklive.com) or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,  
Watford, WD25 9XX  
T: +44 (0)333 321 8811  
E: [enquiries@bregroup.com](mailto:enquiries@bregroup.com)




Securiclad

System Components for the Securiclad System

Component Type	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)	Panel Thickness (m)		
B3 (SR2) panel (mineral wool or PIR)	0.25	1.19	1.5	5.5	0.1	0.125	0.15
B3 (SR2) ceiling panel (mineral wool or PIR)	0.25	1.19	1.5	5.5	0.1	0.125	0.15
C5 (SR3)/D10 (SR4) panel (mineral wool or PIR)	0.25	1.19	1.5	5.5	0.1	0.125	0.15
C5 (SR3)/D10 (SR4) reinforced panel (mineral wool or PIR)	0.25	1.19	1.5	5.5	0.1	0.125	0.15
C5 (SR3)/D10 (SR4) ceiling panel (mineral wool or PIR) (for spans less than 3m)	0.25	1.19	1.5	3.0	0.1	0.125	0.15
C5 (SR3)/D10 (SR4) ceiling panel (mineral wool or PIR) (for spans greater than 3m)	0.25	1.19	3.0	5.5	0.1	0.125	0.15
C5 (SR3)/D10 (SR4) reinforced ceiling panel (mineral wool or PIR) (for spans less than 3m)	0.25	1.19	1.5	3.0	0.1	0.125	0.15
C5 (SR3)/D10 (SR4) reinforced ceiling panel (mineral wool or PIR) (for spans greater than 3m)	0.25	1.19	3.0	5.5	0.1	0.125	0.15
D10 (SR4) double skin panel (mineral wool or PIR)	0.25	1.19	1.5	4.5	0.05 (0.1 overall)		
D10 (SR4) double skin ceiling panel (mineral wool or PIR) (for spans less than 3m)	0.25	1.19	1.5	3.0	0.05 (0.1 overall)		
E10 (SR5) panel (mineral wool or PIR)	0.25	1.19	1.5	4.0	0.1	0.125	0.15
E10 (SR5) ceiling panel (mineral wool or PIR)	0.25	1.19	1.5	3.0	0.1	0.125	0.15
E10 (SR5) reinforcement panel (mineral wool or PIR)	0.25	1.19	1.5	4.0	0.106 (overall)		

This certificate is maintained and held in force through regular surveillance activities.

  
Signed for BRE Global Ltd

Chris Hunt  
Verifier

20 June 2025  
Date of this Issue

17 June 2024  
Date of First Issue



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com](http://www.redbooklive.com)). To check the validity of this certificate please scan the QR tag, visit [www.redbooklive.com](http://www.redbooklive.com) or contact us.

BRE Global, Bucknalls Lane,  
Watford, WD25 9XX  
T: +44 (0)333 321 8811  
E: [enquiries@bregroup.com](mailto:enquiries@bregroup.com)



LPCB® is a registered trademark of the Building Research Establishment Ltd.

# Appendix to Certificate No: 1731a

## Securiclad

### Compatible Doorsets for the Securiclad System

Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as listed on the Associated LPCB Certificate
Ascot Doors Limited	Centurion	Single and double leaf outward opening doorset	131h/01 Issue 1	B3 (SR2)	All compatible locking systems
		Single leaf inward opening doorset			
Assa Abloy Limited T/A Assa Abloy opening Solutions UK & Ireland Door Group	Powershield Clandeboye	Single and double leaf inward or outward opening doorset	852e/01 Issue 1	B3 (SR2)	All compatible locking systems
	Assa Abloy Torr	Single and double leaf outward opening doorset	852f/01 Issue 1	C5 (SR3)	All compatible locking systems
Design & Supply Limited	DS4	Single and double leaf outward opening doorset	694d/01 Issue 1	D10 (SR4)	Exit by key or thumbturn only
PSF Wales Limited	Hercules Lite SR2	Single and double leaf outward opening doorset	953w/01 Issue 11	B3 (SR2)	All compatible locking systems
	Herculouvre Door 2	Single and double leaf outward opening doorset	953z/01	Herculouvre Door 2	Single and double leaf outward opening doorset
	Herculouvre Door 3	Single and double leaf outward opening doorset	953ab/01	Herculouvre Door 3	Single and double leaf outward opening doorset
	Mk.II Hercules SAF 4	Single and double leaf outward opening doorset	953w/01 Issue 1	D10 (SR4)	Exit by key or thumbturn only or no internal operating device
	Taurus SAF 4	Single and double leaf outward opening doorset	953y/01 Issue 1	D10 (SR4)	All compatible locking systems

This certificate is maintained and held in force through regular surveillance activities.

  
Signed for BRE Global Ltd

Chris Hunt  
Verifier

20 June 2025  
Date of this Issue

17 June 2024  
Date of First Issue



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com](http://www.redbooklive.com)). To check the validity of this certificate please scan the QR tag, visit [www.redbooklive.com](http://www.redbooklive.com) or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,  
Watford, WD25 9XX  
T: +44 (0)333 321 8811  
E: [enquiries@bregroup.com](mailto:enquiries@bregroup.com)




# Appendix to Certificate No: 1731a

ISSUE  
03

## Securiclad

Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as listed on the Associated LPCB Certificate
Sunray Engineering Limited	ExcluDoor 2	Single and double leaf outward opening doorset	234r/01 Issue 4	B3 (SR2)	All compatible locking systems
	ExcluDoor 2 FR	Single and double leaf outward opening doorset	234s/01 Issue 3	B3 (SR2)	All compatible locking systems
	ExcluLouvre Door 2	Single and double leaf outward opening doorset	234t/01 Issue 1	B3 (SR2)	All compatible locking systems
	ExcluLouvre Door 2 Mk3	Single and double leaf outward opening doorset	234u/01 Issue 1	B3 (SR2)	All compatible locking systems
	HeavyDuty Secure 2	Single and double leaf outward opening doorset	234n/01 Issue 2	B3 (SR2)	All compatible locking systems
Technocover Limited	Ultrasecure Padlockable Doorset	Single and double leaf outward opening doorset	450z/01 Issue 1	D10 (SR4)	All compatible locking systems
	Sentinel Lite 2	Single and double leaf outward opening doorset	450ac/01 Issue 1	B3 (SR2)	All compatible locking systems
	Sentinel	Single and double leaf outward opening doorset	450y/01 Issue 1	D10 (SR4)	Exit by key or thumbturn only
	Sentinel	Single and double leaf outward opening doorset	450ah/01 Issue 1	E10 (SR5)	Exit by key or thumbturn only
Warrior	Warrior 3-DDS-Bespoke	Double leaf outward opening doorset	1045g/01 Issue 1	C5 (SR3)	All compatible locking systems

This certificate is maintained and held in force through regular surveillance activities.

  
Signed for BRE Global Ltd

Chris Hunt  
Verifier

20 June 2025  
Date of this Issue

17 June 2024  
Date of First Issue



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com](http://www.redbooklive.com)). To check the validity of this certificate please scan the QR tag, visit [www.redbooklive.com](http://www.redbooklive.com) or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,  
Watford, WD25 9XX  
T: +44 (0)333 321 8811  
E: [enquiries@bregroup.com](mailto:enquiries@bregroup.com)



Securiclad


Compatible Accessories for the Securiclad System

Accessory	Description	LPCB Ref. No. 1731a/..			
		01	02	03	04
Penetrations through wall panels	Single and multiple reinforced penetrations through the walls	✓	✓	✓	✓
Louvre vent	Surelock McGill Max-Air-XA2 louvre vent	✓			
	Surelock McGill Max-Air-XA3 louvre vent		✓		
	Surelock McGill Max-Air-XA4 louvre vent			✓	
	Surelock McGill Max-Air-XA5 louvre vent				✓

Notes:

1. The Securiclad panel system must be installed in accordance with the approved Securiclad construction guide Version 1.2 2025.
2. The Security Rating attributed to the compatible doorset must be at least that of the enclosure in which it is to be fitted. For example, a Security Rating C5 (SR3) doorset shall not be used to form part of a Security Rating D10 (SR4) enclosure.
3. Refer to notes contained within the relevant certificate/Red Book entries for these products for details of restrictions on their use.
4. The louvre vents compatible with the Securiclad panel system fall within the scope of LPCB certificate 516-1b Issue 1. The MAX-AIR XA#-H variant must be used and the Security Rating attributed to the louvre vent must be at least that of the enclosure in which it is to be fitted.

This certificate is maintained and held in force through regular surveillance activities.

  
Signed for BRE Global Ltd

Chris Hunt  
Verifier

20 June 2025  
Date of this Issue

17 June 2024  
Date of First Issue



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com](http://www.redbooklive.com)). To check the validity of this certificate please scan the QR tag, visit [www.redbooklive.com](http://www.redbooklive.com) or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,  
Watford, WD25 9XX  
T: +44 (0)333 321 8811  
E: [enquiries@bregroup.com](mailto:enquiries@bregroup.com)

