

Certificate of Product Approval

Charter Global Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1075p	02	1 Darwin Close Reading Berkshire RG2 0TB

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
Obexion UD3 Security Shutters	LPS 1175: Issue 8 Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

	Chris Hunt	07 October 2025
Signed for BRE Global Ltd	Verifier	Date of this Issue
25 July 2025		
Date of First Issue		



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com



Appendix to Certificate No: 1075p

ISSUE
02

Charter Global Limited

Security Shutters

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref No.
Obexion UD3	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	1.0	10.0	0.6	8.0	C5 (SR3)	1075p/01

Approved Installation Configurations

Product Name	Configuration	Substrate					
		Brickwork	Blockwork	Concrete	Reinforced brickwork/ blockwork	Reinforced concrete	Structural steelwork
Obexion UD3	Internally or externally face fitted roller shutter	✓	✓	✓	✓	✓	✓

Notes:

1. The security rating only applies to the shutters when installed and operated in accordance with the documents titled 'Obexion Installation Instructions, Revision 02 July 2025' and 'Obexion Specialist Security Systems: Operation and Maintenance Manual. Original Instructions Revision 7: Oct 2018'. The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.

This certificate is maintained and held in force through regular surveillance activities.


Signed for BRE Global Ltd

Chris Hunt
Verifier

07 October 2025
Date of this Issue

25 July 2025
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford, WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

